



Soils Map



Soils data provided by USDA and NRCS.



State: **South Dakota**
 County: **Sully**
 Location: **14-116N-74W**
 Township: **East Sully**
 Acres: **422.59**
 Date: **1/25/2021**


Dakota Land Co.
 Schuetzle Real Estate & Auction Firm

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2021 www.AgriDataInc.com





Code	Soil Description	Acres	Percent of field	PI Legend	Non-Irr Class *c	Productivity Index	Alfalfa hay	Bromegrass alfalfa	Cool season grasses	Corn	Grain sorghum	Oats	Spring wheat	Winter wheat	*n NCCPI Small Grains
JcD	Java-Betts stony complex, 3 to 12 percent slopes	173.09	41.0%		VIIIs	24	1.5	2.5		22	22	37	17		31
RpB	Raber-Peno loams, 2 to 6 percent slopes	46.04	10.9%		IIe	65									30
JgC	Java-Glenham loams, 3 to 9 percent slopes	41.68	9.9%		IVe	63	1.5	2.5		22	22	37	17		33
RgB	Eakin-Raber complex, 2 to 6 percent slopes	41.24	9.8%		IIe	76									31
RhA	Eakin-Raber complex, 0 to 2 percent slopes	40.02	9.5%		IIc	83									31
OnA	Mobridge silt loam, 0 to 2 percent slopes	28.08	6.6%		IIc	94									36
BeE	Betts loam, 6 to 25 percent slopes	22.72	5.4%		VIe	23									30
TaE	Talmo gravelly loam, 9 to 25 percent slopes	11.67	2.8%		VIIs	9									21
OhB	Oahe-Talmo loams, 2 to 6 percent slopes	11.43	2.7%		IIIe	38	1.1		1.8	28	29	41	19		27
ReA	Ree loam, 0 to 2 percent slopes	3.49	0.8%		IIc	85	1.9	3.2		39	48	57	25	35	34
ReB	Ree loam, 2 to 5 percent slopes	3.13	0.7%		IIe	80	1.8		3	36	45	55	23	33	34
Weighted Average						48.5	0.8	1.3	*-	12.5	12.7	20.8	9.5	0.5	*n 31

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.

Soils Map



State: **South Dakota**
 County: **Sully**
 Location: **14-115N-74W**
 Township: **East Sully**
 Acres: **160.04**
 Date: **1/25/2021**


Dakota Land Co.
 Schuetzle Real Estate & Auction Firm

Maps Provided By:



 © AgriData, Inc. 2021 www.AgriDataInc.com



Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	PI Legend	Non-Irr Class *c	Irr Class *c	Productivity Index	Alfalfa hay	Alfalfa hay irrigated	Brome grass alfalfa	Corn	Corn Irrigated	Grain sorghum	Grain sorghum irrigated	Oats	Oats Irrigated	Spring wheat	W
BeE	Betts loam, 6 to 25 percent slopes	38.34	24.0%		Vle		23											
JcD	Java-Betts stony complex, 3 to 12 percent slopes	29.19	18.2%		Vlls		24	1.5		2.5	22		22		37		17	
HeB	Highmore silt loam, 2 to 6 percent slopes	29.03	18.1%		Ile		91											
HeA	Highmore silt loam, 0 to 2 percent slopes	19.99	12.5%		Ilc		92											
RpB	Raber-Peno loams, 2 to 6 percent slopes	10.29	6.4%		Ile		65											
OnA	Mobridge silt loam, 0 to 2 percent slopes	9.97	6.2%		Ilc		94											
GeE	Gettys clay loam, 6 to 25 percent slopes	6.71	4.2%		Vle		13											
W	Water	5.17	3.2%		VIII		0											
ReB	Ree loam, 2 to 5 percent slopes	4.48	2.8%		Ile		80	1.8		3	36		45		55		23	

Soils Map



State: **South Dakota**
 County: **Sully**
 Location: **10-115N-74W**
 Township: **East Sully**
 Acres: **335.22**
 Date: **1/25/2021**



Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	PI Legend	Non-Irr Class *c	Irr Class *c	Productivity Index	Alfalfa hay	Alfalfa hay irrigated	Brome grass alfalfa	Corn	Corn Irrigated	Grain sorghum	Grain sorghum irrigated	Oats	Oats Irrigated	Spring wheat	W
JcD	Java-Betts stony complex, 3 to 12 percent slopes	77.07	23.0%		Vlls		24	1.5		2.5	22		22		37		17	
OnA	Mobridge silt loam, 0 to 2 percent slopes	47.64	14.2%		llc		94											
OrA	Onita-DeGrey silt loams, 0 to 2 percent slopes	45.07	13.4%		llc		76	2.8		4.7	60		63		63		29	
Ho	Hoven silt loam, 0 to 1 percent slopes	44.05	13.1%		Vls		15											
RpB	Raber-Peno loams, 2 to 6 percent slopes	43.20	12.9%		lle		65											
HeA	Highmore silt loam, 0 to 2 percent slopes	36.09	10.8%		llc		92											
BeE	Betts loam, 6 to 25 percent slopes	30.67	9.1%		Vle		23											
OnB	Onita silt loam, 2 to 5 percent slopes	11.43	3.4%		lle	lle	88	2.6	5	4.2	45	140	63	115	58	75	26	



RpC	Raber-Peno loams, 6 to 9 percent slopes	15.47	5.0%		IIIe		52										
Ho	Hoven silt loam, 0 to 1 percent slopes	15.09	4.8%		VIIs		15										
OaB	Oahe-Delmont loams, 2 to 6 percent slopes	11.04	3.5%		IIIe		46										
OnB	Onita silt loam, 2 to 5 percent slopes	10.76	3.5%		Ile	Ile	88	2.6	5	4.2	45	140	63	115	58	75	
RgB	Eakin-Raber complex, 2 to 6 percent slopes	9.53	3.1%		Ile		76										
RpB	Raber-Peno loams, 2 to 6 percent slopes	7.25	2.3%		Ile		65										
AIA	Akaska silt loam, 0 to 2 percent slopes	5.98	1.9%		IIIs		66	1.5		2.7	31		35			39	
BeE	Betts loam, 6 to 25 percent slopes	5.04	1.6%		VIe		23										
Weighted Average							64.7	0.6	0.2	0.9	0.1	11.5	4.8	13.1	4	17.6	2.6

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.